| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 14395 | mirror$4 near3 (data or site or node or server or system or computer or station).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 16:09 |
| S2 | 14480 | mirror$4 near3 (data or site or node or server or system or computer or station or database or file).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:15 |
| S3 | 4588 | mirror$4 near3 (data or site or node or server or system or computer or station or database or file).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:23 |
| S4 | 405 | mirror$4 near3 (data ).ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 16:11 |
| S5 | 322 | mirror$4 near3 (data ).ti. and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 13:38 |
| S6 | 10 | S5 and revers$3 near10 role | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/01 16:13 |
| S7 | 8 | (("4610013") or ("5561854") or ("5752196") or ("5155729") or ("5,327,127") or ("5740375") or ("5483522") or ("6425015")).PN. | US-PGPUB; USPAT | OR | OFF | 2004/12/02 13:39 |
| S8 | 18 | (("6,065,018") or ("6,052,797") or ("5,870,537") or ("5,734,818") or ("5,592,618") or ("5,574,950") or ("5,993,653") or ("5,901,327") or ("5,835,953") or ("5,812,748") or ("5,748,870") or ("5,745,748") or ("5,742,792") or ("5,633,999") or ("5,544,347") or ("5,537,533") or ("5,455,932") or ("4,982,324")).PN. | US-PGPUB; USPAT | OR | OFF | 2004/12/02 08:57 |
| S9 | 26 | (S7 or S8) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:08 |

| S10 | 14345 | ((714/100) or (714/41) or (714/40) or (714/25) or (714/20) or (714/16) or (714/15) or (714/13) or (714/10) or (714/6) or (714/5) or (714/3) or (714/2) or (714/1) or (711/162) or (711/161) or (711/154) or (711/100) or (707/204) or (707/202) or (707/201) or (707/200) or (379/279) or (379/268) or (379/258) or (379/242) or (379/221.04) or (379/221.03) or (379/221.01) or (379/220.01) or (379/219) or (377/130) or (377/9.05) or (377/9) or (370/216) or (326/10) or (326/9)).CCLS. | US-PGPUB; USPAT | OR | OFF | 2004/12/02 11:08 |
|---|---|---|---|---|---|---|
| S11 | 11519 | S10 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:16 |
| S13 | 167127 | (mirror$3 or backup or redundant or secondary or recover$3) near10 (data or state or storage or unit or server or computer or processor or system or node).ti,ab. and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:13 |
| S14 | 1940 | S11 and S13 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:17 |
| S15 | 14482 | mirror$4 near3 (data or site or node or server or system or computer or station or database or file).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:16 |
| S16 | 12788 | S15 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:40 |
| S17 | 181 | S10 and S16 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:17 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S18 | 1955 | S14 or S17 or S9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:23 |
| S19 | 27 | S18 and emulat$3 near10 disk | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:24 |
| S20 | 6 | S18 and emulat$3 adj3 disk | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:25 |
| S22 | 37 | S18 and (stor$3 or writ$3 or enter$3) adj5 logical adj block | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:28 |
| S23 | 2 | S22 and (stor$3 or writ$3 or enter$3) adj5 logical adj block adj (pointer or number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:37 |
| S24 | 0 | S22 and (stor$3 or writ$3 or enter$3) adj5 "only" adj3 logical adj block adj (pointer or number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:37 |
| S25 | 0 | S18 and (stor$3 or writ$3 or enter$3) adj5 "only" adj5 logical adj block adj (pointer or number) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:38 |
| S26 | 0 | S18 and (stor$3 or writ$3 or enter$3) near10 logical adj block adj (pointer or number) with buffer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:39 |
| S27 | 0 | S18 and (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3) near10 logical adj block adj (pointer or number) with (queue or buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:39 |
| S28 | 14 | (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3) near10 logical adj block adj (pointer or number) with (queue or buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:41 |

| S29 | 12 | S28 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:44 |
|---|---|---|---|---|---|---|
| S30 | 366 | (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3) near10 data adj5 block near5 (pointer or number or identifier or ID or identity) with (queue or buffer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:11 |
| S31 | 322 | S30 and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:09 |
| S32 | 3 | S31 and (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3) near10 data adj5 block near5 (pointer or number or identifier or ID or identity) with (queue or buffer) with changed | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:43 |
| S33 | 7 | S31 and (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3) near10 data adj5 block near5 (pointer or number or identifier or ID or identity) with (queue or buffer) with chang$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:53 |
| S34 | 1 | S31 and (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3 or backup) near10 "only" adj3 (changed or updated or new) adj3 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:58 |
| S35 | 6 | S31 and (stor$3 or writ$3 or enter$3 or maintain$3 or keep$3 or backup) near10 (changed or updated or new) adj3 data with block adj number | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 11:59 |
| S37 | 178 | (backup$2 or stor$3) near20 "only" near10 (updated or changed) adj (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:14 |
| S39 | 1 | S31 and S37 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:15 |

| S40 | 207 | (backup$2 or stor$3) near20 "only" near10 (updated or changed or modified) adj (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 17:25 |
|---|---|---|---|---|---|---|
| S41 | 1 | S31 and S40 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:16 |
| S42 | 4137 | (backup$2 or stor$3) near20 "only" near10 (updated or changed or modified or differen$2) near5 (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:23 |
| S43 | 3 | S31 and S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:16 |
| S44 | 218 | (backup$2 or stor$3) near20 "only" near10 (differen$2 or differentiated) adj3 (data or file) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:24 |
| S45 | 4 | S18 and S44 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:24 |
| S47 | 2 | (("5136707") or ("6035412")).PN. | US-PGPUB; USPAT | OR | OFF | 2004/12/02 13:39 |
| S48 | 62 | ("5136707").URPN. | USPAT | OR | ON | 2004/12/02 13:43 |
| S49 | 13 | ("4432057" | "4631673" | "4686620" | "4710870" | "4714992" | "4714995" | "4714996" | "4745559" | "4747130" | "4752910" | "4774661" | "4897782" | "5043866").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2004/12/02 13:43 |
| S50 | 75 | (S48 or S49) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 14:11 |

| S51 | 9 | S50 and mirror$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 13:45 |
|---|---|---|---|---|---|---|
| S52 | 2339 | S18 or S31 or S50 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 14:12 |
| S53 | 7 | S52 and (snoop$3 or monitor$3) adj5 bus near20 (chang$3 or modif$7 or updat$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 14:56 |
| S54 | 2 | S52 and virtual near5 remote near3 mirror$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 14:57 |
| S55 | 57 | (backup$2 or stor$3) near20 "only" near10 (updated or changed or modified) adj5 (address or index or pointer or block adj number) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 17:26 |
| S56 | 0 | S55 and (backup$2 or stor$3) near20 "only" near10 (updated or changed or modified) adj5 ( block adj number) and (@AD < "20010602" or @RLAD < "20010602" or @PRAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 17:27 |
| S57 | 2 | S18 and S55 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/02 17:27 |

| S58 | 32 | (("20040073831") or ("6502205") or ("5889935") or ("6453396") or ("6571312") or ("6795890") or ("6311193") or ("6427186") or ("20010013102") or ("5136707") or ("5668986") or ("6088773") or ("5987544") or ("6237008") or ("6065018") or ("6052797") or ("5993653") or ("5901327") or ("5870537") or ("5835953") or ("5812748") or ("5748870") or ("5745748") or ("5742792") or ("5734818") or ("5633999") or ("5592618") or ("5574950") or ("5544347") or ("5537533") or ("5455932") or ("4982324")).PN. | US-PGPUB; USPAT | OR | OFF | 2005/06/19 12:29 |
| S59 | 7 | S58 and virtual | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 12:29 |
| S60 | 9 | mirror$4 near3 (data ).ti,ab. and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:18 |
| S62 | 0 | S60 and mirror$4 near3 (data ).ti, ab. and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus.ti, ab. and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 13:41 |
| S63 | 7 | mirror$4 near3 (data or storage) and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (read and write) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 14:41 |
| S64 | 32 | mirror$4 near3 (data or storage) and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (stor$3 or writ$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 14:46 |
| S65 | 9 | mirror$4 near3 (data or storage) and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (stor$3 or writ$3 or command) near10 buffer$3 and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:39 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S66 | 6 | mirror$4 and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (writ$3 or command) near10 buffer$3 and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 15:03 |
| S67 | 4 | S66 not S65 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 14:56 |
| S68 | 39 | (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (stor$3 or writ$3) near5 data adj5 buffer$3 and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:24 |
| S69 | 3 | S68 and (mirror$4 or backup or secondary) near10 (copy or data or file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 15:05 |
| S70 | 2 | ("5623700").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/19 15:23 |
| S71 | 0 | ("2andsnoop").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/19 15:23 |
| S72 | 0 | S59 and snoop$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 15:23 |
| S73 | 1 | S68 and (copying or mirror$4 or duplicat$3 or replicat$3) adj3 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:18 |
| S74 | 125 | (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (stor$3 or writ$3) adj5 buffer$3 and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:15 |
| S75 | 4 | S74 and (copying or mirror$4 or duplicat$3 or replicat$3) adj3 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:16 |

| S76 | 6 | SCSI adj3 analyz$3 and (copying or mirror$4 or duplicat$3 or replicat$3) adj3 data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:29 |
|------|-----|-----|-----|-----|-----|-----|
| S77 | 2 | S76 and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:30 |
| S78 | 49 | SCSI adj3 analyz$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:29 |
| S79 | 23 | S78 and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:30 |
| S80 | 123 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage) and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:46 |
| S81 | 86 | S80 and stor$3 adj10 (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:46 |
| S82 | 46 | S80 and stor$3 adj10 bus near10 (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:47 |
| S83 | 1 | (replicat$3 or duplicat$3 or copy$3 or mirror$4).ti,ab. near3 (data or storage) and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus with (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:42 |

| S84 | 101 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage) and (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus near10 (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:46 |
|---|---|---|---|---|---|---|
| S86 | 80 | S84 and stor$3 adj10 (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:47 |
| S87 | 37 | S86 and stor$3 adj10 bus near10 (activity or control or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:57 |
| S88 | 318 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage) and stor$3 adj10 bus near10 (activity or access or writ$3 or command) near10 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 16:59 |
| S91 | 61 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage) and stor$3 adj10 bus near10 (activity or access or writ$3 or command) adj5 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:05 |
| S92 | 1 | S91 and (replicat$3 or duplicat$3 or copy$3 or mirror$4).ti,ab. near3 (data or storage) and stor$3 adj10 bus near10 (activity or access or writ$3 or command) adj5 (queue or FIFO or buffer$3) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:02 |
| S93 | 2 | S91 and S74 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:02 |

| S94 | 1275 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage) and (buffering or stored or storing or buffered) near10 bus near10 (activity or access or writ$3 or command) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:07 |
|---|---|---|---|---|---|---|
| S95 | 992 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage) and (buffering or stored or storing or buffered) near10 bus near5 (activity or access or writ$3 or command) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:07 |
| S96 | 64 | (replicat$3 or duplicat$3 or copy$3 or mirror$4) near3 (data or storage).ti,ab. and (buffering or stored or storing or buffered) near10 bus near5 (activity or access or writ$3 or command) and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:07 |
| S97 | 15 | (snoop$3 or monitor$3 or passive adj listen$3) adj5 bus and S96 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:08 |
| S98 | 19115 | (backup or duplicate or replicate or mirror$4) near3 (data or site or node or server or system or computer or station or database or file).ti,ab. and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:24 |
| S99 | 0 | S98 and (analyz$3 or snoop$3 or monitor$3 or passive adj listen$3) adj5 bus same (((stor$3 or writ$3) near5 buffer) or buffering) adj3 bus near5 command and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:28 |
| S10 0 | 0 | S98 and (analyz$3 or snoop$3 or monitor$3 or passive adj listen$3) adj5 bus same (((stor$3 or writ$3) near5 buffer) or buffering) adj3 bus and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:28 |

| S10 1 | 1 | S98 and (analyz$3 or snoop$3 or monitor$3 or passive$2 adj listen$3) adj5 bus same (((stor$3 or writ$3) near5 buffer) or buffering) near5 bus and (@AD < "20010602" or @RLAD < "20010602") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/06/19 17:29 |